




## MCQ WORKSHEET-I CLASS X: CHAPTER – 10 CIRCLES


- 1. Find the length of tangent drawn to a circle with radius 7 cm from a point 25 cm away from the centre.
  - (a) 24 cm
- (b) 27 cm
- (c) 26 cm
- (d) 25 cm
- 2. A point P is 26 cm away from the centre of a circle and the length of the tangent drawn from P to the circle is 24 cm. Find the radius of the circle.
  - (a) 11 cm
- (b) 10 cm
- (c) 16 cm
- (d) 15 cm
- 3. From an external point P, tangents PA and PB are drawn to a circle with centre O. If CD is the tangent to the circle at a point E and PA = 14 cm, find the perimeter of the  $\Delta$ PCD.
  - (a) 28 cm
- (b) 27 cm
- (c) 26 cm
- (d) 25 cm





- 4. In the above sided figure, PA and PB are tangents such that PA = 9 cm and  $\angle APB = 60^{\circ}$ . Find the length of the chord AB.
  - (a) 4 cm
- (b) 7 cm
- (c) 6 cm
- (d) 9 cm
- 5. In the below figure the circle touches all the sides of a quadrilateral ABCD whose three sides are AB = 6 cm, BC = 7 cm, CD = 4 cm. Find AD.
  - (a) 4 cm
- (b) 3 cm
- (c) 6 cm
- (d) 9 cm






- 6. In the above sided Fig., if TP and TQ are the two tangents to a circle with centre O so that  $\angle POQ = 110^{\circ}$ , then  $\angle PTQ$  is equal to
  - (a)  $60^{\circ}$
- (b)  $70^{\circ}$
- (c)  $80^{\circ}$
- (d)  $90^{\circ}$
- 7. If tangents PA and PB from a point P to a circle with centre O are inclined to each other at angle of 80°, then ∠POA is equal to
  - (a)  $60^{\circ}$
- (b)  $70^{\circ}$
- (c)  $80^{\circ}$
- (d)  $50^{\circ}$

### Managed by: IITians, NITians



- 8. The length of a tangent from a point A at distance 5 cm from the centre of the click is 4 cm Find the radius of the circle.
  - (a) 4 cm
- (b) 3 cm
- (c) 6 cm
- (d) 5 cm
- 9. From a point P, 10 cm away from the centre of a circle, a tangent PT of length 8 cm is drawn. Find the radius of the circle.
  - (a) 4 cm
- (b) 7 cm
- (c) 6 cm
- (d) 5 cm
- 10. PT is tangent to a circle with centre O, OT = 56 cm, TP = 90 cm, find OP
  - (a) 104 cm
- (b) 107 cm
- (c) 106 cm
- (d) 105 cm
- 11. TP and TQ are the two tangents to a circle with center O so that angle  $\angle POQ = 130^{\circ}$ . Find ∠PTQ.
  - (a)  $50^{\circ}$
- (b)  $70^{\circ}$
- (c)  $80^{\circ}$
- (d) none of these
- 12. From a point Q, the length of the tangent to a circle is 40 cm and the distance of Q from the centre is 41 cm. Find the radius of the circle.
  - (a) 4 cm
- (b) 3 cm
- (c) 6 cm
- (d) 9 cm
- 13. The common point of a tangent to a circle with the circle is called
- (b) point of contact (c) end point (d) none of these.

- 14. PQ is a chord of length 8 cm of a circle of radius 5 cm. The tangents at P and Q intersect at a point T (see below figure). Find the length TP.
  - (a)  $\frac{20}{3}$  cm (b)  $\frac{10}{3}$  cm
- - (d) none of these



- **15.** The lengths of tangents drawn from an external point to a circle are equal.
  - (a) half
- (b) one third (c) one fourth (d) equal



# MCQ WORKSHEET-II CLASS X: CHAPTER – 10 CIRCLES


1. In below Fig, ABCD is a cyclic quadrilateral in which AC and BD are its diagonals. If  $\angle$  DBC =  $55^{\circ}$  and  $\angle$ BAC =  $45^{\circ}$ , find  $\angle$ BCD.

(a) 80°

(b) 60°

(c) 90°

(d) none of these



2. In above sided Fig, A,B and C are three points on a circle with centre O such that  $\angle BOC = 30^{\circ}$  and  $\angle AOB = 60^{\circ}$ . If D is a point on the circle other than the arc ABC, find  $\angle ADC$ .

(a) 45°

(b) 60°

(c) 90°

(d) none of these

3. A chord of a circle is equal to the radius of the circle. Find the angle subtended by the chord at a point on the minor arc

(a)  $150^{\circ}$ 

(b) 30°

(c) 60°

(d) none of these

**4.** A chord of a circle is equal to the radius of the circle. Find the angle subtended by the chord at a point on the major arc.

(a)  $150^{\circ}$ 

(b) 30°

 $(c) 60^{\circ}$ 

(d) none of these


**5.** In the below Fig.,  $\angle ABC = 69^{\circ}$ ,  $\angle ACB = 31^{\circ}$ , find  $\angle BDC$ .


(a) 80°

(b) 60°

(c) 90°

(d)  $100^{\circ}$ 





**6.** In the above sided Fig., A, B, C and D are four points on a circle. AC and BD intersect at a point E such that  $\angle$ BEC = 130° and  $\angle$ ECD = 20°. Find  $\angle$ BAC.

(a) 110°

(b) 150°

(c) 90°

(d)  $100^{0}$ 

7. ABCD is a cyclic quadrilateral whose diagonals intersect at a point E. If  $\angle DBC = 70^{\circ}$ ,  $\angle BAC$  is  $30^{\circ}$ , find  $\angle BCD$ .

(a) 80°

(b) 60°

(c) 90°

(d)  $100^{\circ}$ 

### Managed by: IITians, NITians



**8.** ABCD is a cyclic quadrilateral. If  $\angle$ BCD = 100°,  $\angle$ ABD is 30°, find  $\angle$ ABD.

(a) 80°

(b) 60°

(c) 90°

(d)  $70^{\circ}$ 

**9.** ABCD is a cyclic quadrilateral. If  $\angle$ DBC= 80°,  $\angle$ BAC is 40°, find  $\angle$ BCD.

(a) 80°

(b) 60°

(c) 90°

(d)  $70^{\circ}$ 

**10.** ABCD is a cyclic quadrilateral in which BC is parallel to AD,  $\angle$ ADC =  $110^{0}$  and  $\angle$ BAC =  $50^{0}$ . Find  $\angle$ DAC

(a) 80°

(b) 60°

(c) 90°

(d) 170°


11. In the below figure,  $\angle POQ = 80^{\circ}$ , find  $\angle PAQ$ 


(a) 80

(b) 40°

(c) 100°

(d) none of these





12. In the above figure, ∠PQR = 100°, where P, Q and R are points on a circle with centre O. Find ∠OPR.

(a) 80°

(b) 40°

(c)  $10^{\circ}$ 

(d) none of these

Address: Teela Shahbajpur Near Axis Bank ATM Phone: +91-9717183928; +91-9643852903

#### MCQ WORKSHEET-III ASS X: CHAPTER – 10 **CIRCLES**

1.	Distance of chord AB from the centre is 12 cm and length of the chord is 10 cm. Then	L
	diameter of the circle is	

- 26 cm A.
- B. 13 cm
- C.  $\sqrt{244}$  cm
- D. 20 cm

- A. ∠ADB and ∠ADC are equal
- B. ∠ADB and ∠ADC are compensary
- C. Points B, D, C are collinear
- D. none of these
- 3. The region between a chord and either of the arcs is called
  - A. an arc
- B. a sector
- C. a segment
- D. a semicircle
- A circle divides the plane in which it lies, including circle in 4.
  - 2 parts
- B. 3 parts
- C. 4 parts
- D. 5 parts
- 5. If diagonals of a cyclic quadrilateral are the diameters of a circle through the vertices of a quadrilateral, then quadrilateral is a
  - parallelogram A.
- B. square
- C. rectangle
- D. trapezium
- Given three non collinear points, then the number of circles which can be drawn through these 6. three points are
  - A. one
- B. zero
- C. two
- D. infinite
- In a circle with centre O, AB and CD are two diameters perpendicular to each other. The 7. length of chord AC is
  - 2 AB A.
- B.  $\sqrt{2}$  AB C.  $\frac{1}{2}$ AB
- D.  $\frac{1}{\sqrt{2}}$  AB
- If AB is a chord of a circle, P and Q are the two points on the circle different from A and 8. B, then
  - A.  $\angle APB = \angle AQB$
  - $\angle APB + \angle AOB = 180^{\circ}$ B.
  - C.  $\angle APB + \angle AQB = 90^{\circ}$
  - $\angle APB + \angle AQB = 180^{\circ}$ D.

### Managed by: IITians, NITians

Phone: +91-9717183928; +91-9643852903


9. In the above figure,  $\angle PQR = 90^{\circ}$ , where P, Q and R are points on a circle with centre O. Find reflex $\angle POR$ .

(a) 180°

(b) 140°

 $(c) 45^{\circ}$ 

(d) none of these




**10.** In below Fig, ABCD is a cyclic quadrilateral in which AC and BD are its diagonals. If  $\angle$  DBC =  $60^{\circ}$  and  $\angle$ BAC =  $30^{\circ}$ , find  $\angle$ BCD.

(a) 80°

(b) 60°

(c) 90°

(d) none of these



......